



Cross section 19- Typical path construction detail

<div><div>sustrans</div><div>JOIN THE MOVEMENT</div><div>58 Oxford Street, Birmingham, B5 5NR 0121 633 5500 www.sustrans.org.uk</div></div>	Project: 15042 SPALFORD TO SOUTH CLIFTON	Title Cross section 19	<table><tr><td>Drawn: MMI</td><td>Checked: MP</td><td>Date: 08-02-24</td><td>Scale at A4: 1:25</td></tr><tr><td colspan="4">Status: FOR TENDER</td></tr><tr><td colspan="2">Drawing No: 15042-CN-SD-00-D19</td><td colspan="2">Revision: -A</td></tr></table>	Drawn: MMI	Checked: MP	Date: 08-02-24	Scale at A4: 1:25	Status: FOR TENDER				Drawing No: 15042-CN-SD-00-D19		Revision: -A		<p>Note: Permeable subbase throughout using a minimum of 125mm 20-5 Carboniferous limestone and minimum 25mm layer of 2-6mm Carboniferous limestone as a top layer.</p> <p>Larger stones will act as a filter to allow water to seep slowly into the ground.</p>
	Drawn: MMI	Checked: MP	Date: 08-02-24	Scale at A4: 1:25												
	Status: FOR TENDER															
Drawing No: 15042-CN-SD-00-D19		Revision: -A														